

AUTHOR INDEX

- Abd El Ati, N., *see* Abel, H.J. et al.
 Abd El Hafiz, G., *see* Abel, H.J. et al.
 Abd El-Razek, M., *see* Abel, H.J. et al.
 Abel, H.J., Abd El Ati, N., Abd El Hafiz, G., Abd El-Razek, M., El-Din, T. and El Shazly, K. (Göttingen-Weende, F.R.G.)
 Investigations on the nutritional value for ruminants of various fats 111
 Adamson, A.H., *see* Givens, D.I. et al.
 Aherne, F.X., *see* Gibson, D.M. et al.
 Akin, D.E., Rigsby, L.L. (Athens, GA, U.S.A.), Theodorou, M.K. and Hartley, R.D. (Hurley, Gt. Britain)
 Population changes of fibrolytic rumen bacteria in the presences of phenolic acids and plant extracts 216
 Alawa, J.P., Fishwick, G. and Hemingway, R.G. (Glasgow, Gt. Britain)
 Fresh and dried brewers' grain as protein supplement to barley straw diets given to pregnant beef cows 33
 Al-Awadi, A., *see* Ilian, M.A. et al.
 Andries, J.I., *see* De Boever, J.L. et al.
 Ash, A.J., *see* McMeniman, N.P. et al.
 Barry, P., *see* Grenet, E. and Barry, P.
 Bell, J.M., *see* Thacker, P.A. et al.
 Ben-Ghedalia, D., Miron, J., Est, Y. and Yosef, E. (Bet Dagan, Israel)
 SO₂ treatment for converting straw into a concentrate-like feed: a growth study with lambs 219
 Brophy, P.O., *see* Caffrey, P.J. et al.
 Buysse, F.X., *see* De Boever, J.L. et al.
 Caffrey, P.J., Miller, C., Brophy, P.O. and Kelleher, D.S. (Dublin, Eire)
 The effects of method of processing of starters, tallow inclusion and roughage supplementation on the performance of early-weaned calves 231
 Campbell, G.L., *see* Thacker, P.A. et al.
 Classen, H.L., *see* Thacker, P.A. et al.
 Cobby, J.M., *see* Givens, D.I. et al.
 see Mason, V.C. et al.
 Collins, M. (Lexington, KY, U.S.A.)
 Composition and fibre digestion in morphological components of an alfalfa-timothy sward 135
 Cottyn, B.G., *see* De Boever, J.L. et al.
 De Boever, J.L., Cottyn, B.G., Andries, J.I., Buysse, F.X. and Vanacker, J.M. (Melle-Gontrode, Belgium)
 The use of a cellulase technique to predict digestibility, metabolizable and net energy of forages 247
 Deschard, G., Mason, V.C. and Tetlow, R.M. (Maidenhead, Gt. Britain)
 Treatment of whole-crop cereals with alkali. 4. Voluntary intake and growth in steers given wheat ensiled with sodium hydroxide, urea or ammonia 55
 Dias-da-Silva, A.A., Ferreira, A.M. and Guedes, C.V.M. (Vila Real, Portugal)
 Effects of moisture level, treatment time and soya bean addition on the nutritive value of urea-treated maize stover 67

- Dryden, G. McL. (Queensland, Australia) and Leng, R.A. (Armidale, Australia)
Effects of ammonia and sulphur dioxide gases on the composition and digestion of barley straw 121
- Edwards, R.A., *see* Heron, S.J.E. et al.
- Ekström, N., *see* Kaspersson, A. et al.
- El-Din, T., *see* Abel H.J. et al.
- Elliott, R., *see* McMeniman, N.P. et al.
- El Shazly, K., *see* Abel, H.J. et al.
- El Tayeb, A.E., *see* Osman, A.G. et al.
- Est, Y., *see* Ben-Ghedalia, D. et al.
- Ferreira, A.M., *see* Dias-da-Silva, A.A. et al.
- Fishwick, G., *see* Alawa, J.P. et al.
- Gibson, D.M., Kennelly, J.J., Aherne, F.X. and Mathison, G.W. (Edmonton, Alb., Canada)
Efficacy of sulfur dioxide as a grain preservative 203
- Givens, D.I. (Stratford-on-Avon, Gt. Britain), Adamson, A.H. (Bristol, Gt. Britain) and Cobby, J.M. (Maidenhead, Gt. Britain)
The effect of ammoniation on the nutritive value of wheat, barley and oat straws. II. Digestibility and energy value measurements in vivo and their prediction from laboratory measurements 173
- Grenet, E. and Barry, P. (Ceyrat, France)
Colonization of thick-walled plant tissues by anaerobic fungi 25
- Guedes, C.V.M., *see* Dias-da-Silva, A.A. et al.
- Hartley, R.D., *see* Akin, D.E. et al.
see Mason, V.C. et al.
- Hemingway, R.G., *see* Alawa, J.P. et al.
- Heron, S.J.E., Edwards, R.A. and McDonald, P. (Edinburgh, Gt. Britain)
The effects of inoculation, addition of glucose and mincing on fermentation and proteolysis in ryegrass ensiled in laboratory silos 85
- Hussar, N., *see* Leeson, S. et al.
- Ilian, M.A., Razzaque, M.A., Al-Awadi, A. and Salman, A.J. (Safat, Kuwait)
Use of fat in diets of sheep in hot environments. I. Effects on performance, carcass characteristics and lipid composition of plasma 327
- Ilian, M.A., Razzaque, M.A. and Salman, A.J. (Safat, Kuwait)
Use of fat in diets of sheep in hot environments. II. Effect on rumen metabolism 343
- Jakhmola, R.C., Kunda, S.S., Punj, M.L., Singh, K., Kamra, D.N. and Singh, R. (Haryana, India)
Animal excreta as ruminant feed — scope and limitations under Indian conditions 1
- Janssen, W.M.M.A., *see* Kan, C.A. et al.
- Kamra, D.N., *see* Jakhmola, R.C. et al.
- Kan, C.A., Scheele, C.W. and Janssen, W.M.M.A. (Beekbergen, The Netherlands)
The energy content of full-fat soya beans in meal and pelleted feeds for adult cocks and broilers 97
- Kaspersson, A., Lindgren, S. and Ekström, N. (Uppsala, Sweden)
Microbial dynamics in barley grain stored under controlled atmosphere 299
- Keene, A.S., *see* Mason, V.C. et al.
- Kelleher, D.L., *see* Caffrey, P.J. et al.
- Kennelly, J.J., *see* Gibson, D.M. et al.
- Kunda, S.S., *see* Jakhmola, et al.
- Leeson, S., Summers, J.D. (Guelph, Ont., Canada) and Hussar, N. (London, Ont., Canada)
Feeding and nutritive value of hominy and corn grits for poultry 313

- Leng, R.A., *see* Dryden, G. McL. and Leng, R.A.
- Lindgren, S., *see* Kaspersson, A. et al.
- Mason, V.C., Hartley, R.D., Keene, A.S. and Cobby, J.M. (Maidenhead, Gt. Britain)
The effect of ammoniation on the nutritive value of wheat, barley and oat straws. I.
Changes in chemical composition in relation to digestibility *in vitro* and cell wall
degradability 159
- Mathison, G.W., *see* Gibson, D.M. et al.
- McDonald, P., *see* Heron, S.J.E. et al.
- McMeniman, N.P., Elliott, R. and Ash, A.J. (Brisbane, Qld., Australia)
Supplementation of rice straw with crop by-products. I. Legume straw supplementation.. 43
- Miller, C., *see* Caffrey, P.J. et al.
- Miron, J., *see* Ben-Ghedalia, D. et al.
- Mohammed, T.A., *see* Osman, A.G. et al.
- Morgan, C.A. and Whittemore, C.T. (Edinburgh, Gt. Britain)
Dietary fibre and nitrogen excretion and retention by pigs 185
- Moughan, P.J., *see* Smith, W.C. et al.
- Ørskov, E.R., *see* Silva, A.T. and Ørskov, E.R.
- Osman, A.G., El Tayeb, A.E., Sulieman, A.H. and Mohammed, T.A. (Khartoum North,
Sudan)
Effect of sorghum straw alone or in combination with molasses and nitrogen sources on
performance of Sudan desert lambs 351
- Patchell, M.R., *see* Smith, W.C. et al.
- Pearson, G., *see* Smith, W.C. et al.
- Punj, M.L., *see* Jakhmola, R.C. et al.
- Razzaque, M.A., *see* Ilian, M.A. et al.
- Rigsby, L.L., *see* Akin, D.E. et al.
- Rossnagel, B.G., *see* Thacker, P.A. et al.
- Rundgren, M. (Uppsala, Sweden)
Evaluation of triticale given to pigs, poultry and rats 359
- Salman, A.J., *see* Ilian, M.A. et al.
- Scheele, C.W., *see* Kan, C.A. et al.
- Silva, A.T. and Ørskov, E.R. (Aberdeen, Gt. Britain)
Fibre degradation in the rumens of animals receiving hay, untreated or ammonia-treated
straw 277
- Silva, A.T. and Ørskov, E.R. (Aberdeen, Gt. Britain)
The effect of five different supplements on the degradation of straw in sheep given
untreated barley straw 289
- Singh, K., *see* Jakhmola, R.C. et al.
- Singh, R., *see* Jakhmola, R.C. et al.
- Smith, W.C., Moughan, P.J., Pearson, G. and Patchell, M.R. (Palmerston North, New
Zealand)
A comparison of bioavailable energy values of ground cereal grains measured with adult
cockerels and growing pigs 105
- Sulieman, A.H., *see* Osman, A.G. et al.
- Summers, J.D., *see* Leeson, S. et al.
- Thacker, P.A., Bell, J.M., Classen, H.L., Campbell, G.L. and Rossnagel, B.G.
(Saskatchewan, Canada)
The nutritive value of hullless barley for swine 191
- Theodorou, M.K., *see* Akin, D.E. et al.
- Udén, P. (Uppsala, Sweden)
The effect of grinding and pelleting hay on digestibility, fermentation rate, digesta
passage and rumen and faecal particle size of cows 145

Vanacker, J.M., *see* De Boever, J.L. et al.

Whittemore, C.T., *see* Morgan, C.A. and Whittemore, C.T.

Yosef, E., *see* Ben-Ghedalia, D. et al.

Zervas, G. (Iera Odos, Greece)

Treatment of dairy sheep with soluble glass boluses containing copper, cobalt and
selenium

79

SUBJECT INDEX

Alfalfa

- Composition and fibre digestion in morphological components of an alfalfa-timothy sward 135

Alkali

- Treatment of whole-crop cereals with alkali. 4. Voluntary intake and growth in steers given wheat ensiled with sodium hydroxide, urea or ammonia 55

Ammonia

- Effects of ammonia and sulphur dioxide gases on the composition and digestion of barley straw 121
- The effect of ammoniation on the nutritive value of wheat, barley and oat straws. I. Changes in chemical composition in relation to digestibility in vitro and cell wall degradability 159
- The effect of ammoniation on the nutritive value of wheat, barley and oat straws. II. Digestibility and energy value measurements in vivo and their prediction from laboratory measurements 173
- Fibre degradation in the rumens of animals receiving hay, untreated or ammonia-treated straw 277

Animal excreta

- Animal excreta as ruminant feed — scope and limitations under Indian conditions 1

Bacteria

- The effects of inoculation, addition of glucose and mincing on fermentation and proteolysis in ryegrass ensiled in laboratory silos 85
- Population changes of fibrolytic rumen bacteria in the presence of phenolic acids and plant extracts 261

Barley

- Fresh and dried brewers' grains as protein supplements to barley straw diets given to pregnant beef cows 33
- A comparison of bioavailable energy values of ground cereal grains measured with adult cockerels and growing pigs 105
- Effects of ammonia and sulphur dioxide gases on the composition and digestion of barley straw 121
- The effect of ammoniation on the nutritive value of wheat, barley and oat straws. I. Changes in chemical composition in relation to digestibility in vitro and cell wall degradability 159
- The effect of ammoniation on the nutritive value of wheat, barley and oat straws. II. Digestibility and energy value measurements in vivo and their prediction from laboratory measurements 173
- The nutritive value of hulless barley for swine 191
- Efficacy of sulfur dioxide as a grain preservative 203
- The effects of method of processing of starters, tallow inclusion and roughage supplementation on the performance of early-weaned calves 231
- Fibre degradation in the rumens of animals receiving hay, untreated or ammonia-treated straw 277
- The effect of five different supplements on the degradation of straw in sheep given untreated barley straw 289
- Microbial dynamics in barley grain stored under controlled atmosphere 299

Bermudagrass	
Fibre degradation in the rumens of animals receiving hay, untreated or ammonia-treated straw	277
Bolus treatment	
Treatment of dairy sheep with soluble glass boluses containing copper, cobalt and selenium	79
Byproducts	
Animal excreta as ruminant feed — scope and limitations under Indian conditions	1
Fresh and dried brewers' grains as protein supplements to barley straw diets given to pregnant beef cows	33
Supplementation of rice straw with crop by-products. I. Legume straw supplementation .	43
SO ₂ treatment for converting straw into a concentrate-like feed: a growth study with lambs	219
Cattle	
Fresh and dried brewers' grains as protein supplements to barley straw diets given to pregnant beef cows	33
Treatment of whole-crop cereals with alkali. 4. Voluntary intake and growth in steers given wheat ensiled with sodium hydroxide, urea or ammonia	55
The effect of grinding and pelleting hay on digestibility, fermentation rate, digesta passage and rumen and faecal particle size in cows	145
The effects of method of processing of starters, tallow inclusion and roughage supplementation on the performance of early-weaned calves	231
Cell wall degradability	
The effect of ammoniation on the nutritive value of wheat, barley and oat straws. I. Changes in chemical composition in relation to digestibility in vitro and cell wall degradability	159
Chicken	
The energy content of full-fat soya beans in meal and pelleted feeds for adult cocks and broilers	97
A comparison of bioavailable energy values of ground cereal grains measured with adult cockerels and growing pigs	105
Feeding and nutritive value of hominy and corn grits for poultry	313
Evaluation of triticale given to pigs, poultry and rats	359
Copper	
SO ₂ treatment for converting straw into a concentrate-like feed: a growth study with lambs	219
Corn grits	
Feeding and nutritive value of hominy and corn grits for poultry	313
Digestibility	
The energy content of full-fat soya beans in meal and pelleted feeds for adult cocks and broilers	97
Effects of ammonia and sulphur dioxide gases on the composition and digestion of barley straw	121
Composition and fibre digestion in morphological components of an alfalfa-timothy sward	135
The effect of grinding and pelleting hay on digestibility, fermentation rate, digesta passage and rumen faecal particle size in cows	145
The effect of ammoniation on the nutritive value of wheat, barley and oat straws. I. Changes in chemical composition in relation to digestibility in vitro and cell wall degradability	159

The effect of ammoniation on the nutritive value of wheat, barley and oat straws. II.	
Digestibility and energy value measurements in vivo and their prediction from laboratory measurements	173
The use of a cellulase technique to predict digestibility, metabolizable and net energy of forages	247
Population changes of fibrolytic rumen bacteria in the presence of phenolic acids and plant extracts	261
Evaluation of triticale given to pigs, poultry and rats	359
Digestion	
Colonization of thick-walled plant tissues by anaerobic fungi	25
Energy	
The energy content of full-fat soya beans in meal and pelleted feeds for adult cocks and broilers	97
A comparison of bioavailable energy values of ground cereal grains measured with adult cockerels and growing pigs	105
The effect of ammoniation on the nutritive value of wheat, barley and oat straws. II.	
Digestibility and energy value measurements in vivo and their prediction from laboratory measurements	173
The use of cellulase technique to predict digestibility, metabolizable and net energy of forages	247
The effect of five different supplements on the degradation of straw in sheep given untreated barley straw	289
Evaluation of triticale given to pigs, poultry and rats	359
Enzymes	
The use of a cellulase technique to predict digestibility, metabolizable and net energy of forages	247
Fat	
Investigations on the nutritional value for ruminants of various fats	111
Use of fat in diets of sheep in hot environments. I. Effects on performance, carcass characteristics and lipid composition of plasma	327
Use of fat in diets of sheep in hot environments. II. Effect on rumen metabolism	343
Fermentation	
The effects of inoculation, addition of glucose and mincing on fermentation and proteolysis in ryegrass ensiled in laboratory silos	85
The effect of grinding and pelleting hay on digestibility, fermentation rate, digesta passage and rumen and faecal particle size in cows	145
Fibre	
Dietary fibre and nitrogen excretion and retention by pigs	185
The effect of five different supplements on the degradation of straw in sheep given untreated barley straw	289
Fungi	
Colonization of thick-walled plant tissues by anaerobic fungi	25
Microbial dynamics in barley grain stored under controlled atmosphere	299
Glucose	
The effects of inoculation, addition of glucose and mincing on fermentation and proteolysis in ryegrass ensiled in laboratory silos	85
Grass	
The use of a cellulase technique to predict digestibility, metabolizable and net energy of forages	247
Growth	
Treatment of whole-crop cereals with alkali. 4. Voluntary intake and growth in steers given wheat ensiled with sodium hydroxide, urea or ammonia	55

SO ₂ treatment for converting straw into a concentrate-like feed: a growth study with lambs	219
Hay	
The effect of grinding and pelleting hay on digestibility, fermentation rate, digesta passage and rumen and faecal particle size in cows	145
The use of a cellulase technique to predict digestibility, metabolizable and net energy of forages	247
Fibre degradation in the rumens of animals receiving hay, untreated or ammonia-treated straw	277
Hominy	
Feeding and nutritive value of hominy and corn grits for poultry	313
Intake	
Treatment of whole-crop cereals with alkali. 4. Voluntary intake and growth in steers given wheat ensiled with sodium hydroxide, urea or ammonia	55
Predicting feed intake of food-producing animals (book review)	377
Legume, general	
Supplementation of rice straw with crop by-products. I. Legume straw supplementation .	43
Maize	
Colonization of thick-walled plant tissues by anaerobic fungi	25
Effects of moisture level, treatment time and soya bean addition on the nutritive value of urea-treated maize stover	67
A comparison of bioavailable energy values of ground cereal grains measured with adult cockerels and growing pigs	105
The use of a cellulase technique to predict digestibility, metabolizable and net energy of forages	247
Breeding of silage maize (book review)	379
Metals	
Treatment of dairy sheep with soluble glass boluses containing copper, cobalt and selenium	79
Microbial deterioration	
Microbial dynamics in barley grain stored under controlled atmosphere	299
Molasses	
Effect of sorghum straw alone or in combination with molasses and nitrogen sources on performance of Sudan desert lambs	351
Nitrogen	
Dietary fibre and nitrogen excretion and retention by pigs	185
Effect of sorghum straw alone or in combination with molasses and nitrogen sources on performance of Sudan desert lambs	351
Evaluation of triticale given to pigs, poultry and rats	359
Nutrition, general	
Animal nutrition (book review)	378
Nutritive value	
Effects of moisture level, treatment time and soya bean addition on the nutritive value of urea-treated maize stover	67
Investigations on the nutritional value for ruminants of various fats	111
The effect of ammoniation on the nutritive value of wheat, barley and oat straws. I. Changes in chemical composition in relation to digestibility in vitro and cell wall degradability	159
The effect of ammoniation on the nutritive value of wheat, barley and oat straws. II. Digestibility and energy value measurements in vivo and their prediction from laboratory measurements	173

The nutritive value of hulless barley for swine	191
Feeding and nutritive value of hominy and corn grits for poultry	313
Oat	
A comparison of bioavailable energy values of ground cereal grains measured with adult cockerels and growing pigs	105
The effect of ammoniation on the nutritive value of wheat, barley and oat straws. I. Changes in chemical composition in relation to digestibility in vitro and cell wall degradability	159
The effect of ammoniation on the nutritive value of wheat, barley and oat straws. II. Digestibility and energy value measurements in vivo and their prediction from laboratory measurements	173
Particle size	
The effect of grinding and pelleting hay on digestibility, fermentation rate, digesta passage and rumen and faecal particle size in cows	145
Phenolic acids	
Population changes of fibrolytic rumen bacteria in the presence of phenolic acids and plant extracts	261
Pig	
A comparison of bioavailable energy values of ground cereal grains measured with adult cockerels and growing pigs	105
Dietary fibre and nitrogen excretion and retention by pigs	185
The nutritive value of hulless barley for swine	191
Evaluation of triticales given to pigs, poultry and rats	359
Preservation	
Efficacy of sulfur dioxide as a grain preservative	203
Productivity	
Use of fat in diets of sheep in hot environments. I. Effects on performance, carcass characteristics and lipid composition of plasma	327
Protein	
Fresh and dried brewers' grains as protein supplements to barley straw diets given to pregnant beef cows	33
The effect of five different supplements on the degradation of straw in sheep given untreated barley straw	289
Proteolysis	
The effects of inoculation, addition of glucose and mincing on fermentation and proteolysis in ryegrass ensiled in laboratory silos	85
Rat	
Evaluation of triticales given to pigs, poultry and rats	359
Recycling	
Animal excreta as ruminant feed — scope and limitations under Indian conditions	1
Rice	
Supplementation of rice straw with crop by-products. I. Legume straw supplementation .	43
Rumen metabolism	
Use of fat in diets of sheep in hot environments. II. Effect on rumen metabolism	343
Rumen microbiology	
Colonization of thick-walled plant tissues by anaerobic fungi	25
Population changes of fibrolytic rumen bacteria in the presence of phenolic acids and plant extracts	261
Ruminants, general	
Animal excreta as ruminant feed — scope and limitations under Indian conditions	1

Investigations on the nutritional value for ruminants of various fats	111
Composition and fibre digestion in morphological components of an alfalfa-timothy sward	135
Ryegrass	
The effects of inoculation, addition of glucose and mincing on fermentation and proteolysis in ryegrass ensiled in laboratory silos	85
Fibre degradation in the rumens of animals receiving hay, untreated or ammonia-treated straw	277
Sheep	
Treatment of dairy sheep with soluble glass boluses containing copper, cobalt and selenium	79
SO ₂ treatment for converting straw into a concentrate-like feed: a growth study with lambs	219
Fibre degradation in the rumens of animals receiving hay, untreated or ammonia-treated straw	277
The effect of five different supplements on the degradation of straw in sheep given untreated barley straw	289
Use of fat in diets of sheep in hot environments. I. Effects on performance, carcass characteristics and lipid composition of plasma	327
Use of fat in diets of sheep in hot environments. II. Effect on rumen metabolism	343
Effect of sorghum straw alone or in combination with molasses and nitrogen sources on performance of Sudan desert lambs	351
Silage	
Treatment of whole-crop cereals with alkali. 4. Voluntary intake and growth in steers given wheat ensiled with sodium hydroxide, urea or ammonia	55
Sorghum	
Effect of sorghum straw alone or in combination with molasses and nitrogen sources on performance of Sudan desert lambs	351
Soya bean	
Colonization of thick-walled plant tissues by anaerobic fungi	25
Effects of moisture level, treatment time and soya bean addition on the nutritive value of urea-treated maize stover	67
The energy content of full-fat soya beans in meal and pelleted feeds for adult cocks and broilers	97
The effects of method of processing of starters, tallow inclusion and roughage supplementation on the performance of early-weaned calves	231
Starters	
The effects of method of processing of starters, tallow inclusion and roughage supplementation on the performance of early-weaned calves	231
Straw, barley	
Fresh and dried brewers' grains as protein supplements to barley straw diets given to pregnant beef cows	33
Effects of ammonia and sulphur dioxide gases on the composition and digestion of barley straw	121
The effect of ammoniation on the nutritive value of wheat, barley and oat straws. I. Changes in chemical composition in relation to digestibility in vitro and cell wall degradability	159
The effect of ammoniation on the nutritive value of wheat, barley and oat straws. II. Digestibility and energy value measurements in vivo and their prediction from laboratory measurements	173

The effect of five different supplements on the degradation of straw in sheep given untreated barley straw	289
Straw, legume	
Supplementation of rice straw with crop by-products. I. Legume straw supplementation .	43
Straw, oat	
The effect of ammoniation on the nutritive value of wheat, barley and oat straws. I. Changes in chemical composition in relation to digestibility in vitro and cell wall degradability	159
The effect of ammoniation on the nutritive value of wheat, barley and oat straws. II. Digestibility and energy value measurements in vivo and their prediction from laboratory measurements	173
Straw, rice	
Supplementation of rice straw with crop by-products. I. Legume straw supplementation .	43
Straw, sorghum	
Effect of sorghum straw alone or in combination with molasses and nitrogen sources on performance of Sudan desert lambs	351
Straw, wheat	
Colonization of thick-walled plant tissues by anaerobic fungi	25
The effect of ammoniation on the nutritive value of wheat, barley and oat straws. I. Changes in chemical composition in relation to digestibility in vitro and cell wall degradability	159
The effect of ammoniation on the nutritive value of wheat, barley and oat straws. II. Digestibility and energy value measurements in vivo and their prediction from laboratory measurements	173
SO ₂ treatment for converting straw into a concentrate-like feed: a growth study with lambs	219
Sulphur dioxide	
Effects of ammonia and sulphur dioxide gases on the composition and digestion of barley straw	121
Efficacy of sulfur dioxide as a grain preservative	203
SO ₂ treatment for converting straw into a concentrate-like feed: a growth study with lambs	219
Supplementation	
Fresh and dried brewers' grains as protein supplements to barley straw diets given to pregnant beef cows	33
Supplementation of rice straw with crop by-products. I. Legume straw supplementation .	43
The effects of inoculation, addition of glucose and mincing on fermentation and proteolysis in ryegrass ensiled in laboratory silos	85
The effects of method of processing of starters, tallow inclusion and roughage supplementation on the performance of early-weaned calves	231
The effect of five different supplements on the degradation of straw in sheep given untreated barley straw	289
Timothy	
Composition and fibre digestion in morphological components of an alfalfa-timothy sward	135
Trace elements	
Treatment of dairy sheep with soluble glass boluses containing copper, cobalt and selenium	79
Triticale	
A comparison of bioavailable energy values of ground cereal grains measured with adult cockerels and growing pigs	105

Evaluation of triticale given to pigs, poultry and rats	359
Urea	
Effects of moisture level, treatment time and soya bean addition on the nutritive value of urea-treated maize stover	67
Wheat	
Colonization of thick-walled plant tissues by anaerobic fungi	25
Treatment of whole-crop cereals with alkali. 4. Voluntary intake and growth in steers given wheat ensiled with sodium hydroxide, urea or ammonia	55
A comparison of bioavailable energy values of ground cereal grains measured with adult cockerels and growing pigs	105
The effect of ammoniation on the nutritive value of wheat, barley and oat straws. I. Changes in chemical composition in relation to digestibility in vitro and cell wall degradability	159
The effect of ammoniation on the nutritive value of wheat, barley and oat straws. II. Digestibility and energy value measurements in vivo and their prediction from laboratory measurements	173
SO ₂ treatment for converting straw into a concentrate-like feed: a growth study with lambs	219